

| Client Quantity  |  |
|------------------|--|
| Project Position |  |

## **FUN 700**

Model: F70/40PVE/T Cod: MP01092123000



## **Technical data**

| Modularity:               | Тор         |
|---------------------------|-------------|
| Dimension (mm):           | 400x700x300 |
| Total eletric power (kW): | 5           |
| Electric power (V):       | 380-415     |
| Ampere (A):               | 11,5        |
| Phases:                   | 3N          |
| Cable section (mmq):      | 5G2,5       |
| Frequency (Hz):           | 50-60       |
| Net volume (m3):          | 0,084       |
| Packing dimensions (mm):  | 477x776x612 |
| Gross weight (kg):        | 22          |
| Gross volume (m3):        | 0,227       |

## **Features**

| Working top: | Made of AISI 304 stainless steel with a thickness of 10/10 mm  |
|--------------|--|
| Knobs:       | Knobs are made from a sturdy<br>heat-resistant polymer blend and<br>are equipped with liquid anti-<br>leakage washer |

In order to constantly offer the best possible products we reserve the right to make changes on technical specifications without incurring any obligation for equipment previously or subsequently sold.




Infrared surface 2 cooking zones,


top

Electric pyroceram hob top version. Top made of AISI 304 stainless steel thickness 8/10; covering in AISI 304 stainless steel thickness 8/10; bottoms and internal parts in AISI 430 steel; internal reinforcements made of anti-corrosion material (aluminised sheet metal). Spacious hermetic hob, easy to clean, featuring independent cooking zones and gradual temperature adjustment. The cooking zones are highly flexible. They reach operating temperature quickly and are equipped with a device against overheating. - 1 plate  $\times$  2.1 kW and 1  $\times$  2.5 - Total power 4.6 kW Electrical power supply VAC 400 + 3N 50÷60 Hz. Can be set up on bridge system, or on neutral base with optional doors

## **Technical draw**







E: Electric power

In order to constantly offer the best possible products we reserve the right to make changes on technical specifications without incurring any obligation for equipment previously or subsequently sold.