



Client _____ Quantity _____
Project _____ Position _____

FUN 700

Model: F70/70BRG/44X/S

Cod: MP01612113000

Technical data


Modularity:	On closed cabinet
Dimension (mm):	700x700x850
Total gas power (Kcal/h):	8599
Total gas power (kW):	10
Cooking zone dimensions 1 (LxD mm):	fondo vasca 554x394
Nr. Wells:	1
Well litres 1:	44
Well dimensions 1 (mm):	554x394x170
Gas connection:	1/2"
Cold water inflow:	non presente
Net volume (m3):	0,417
Packing dimensions (mm):	880x856x1274
Gross weight (kg):	99
Gross volume (m3):	0,960

Features

Working top:	Made of AISI 304 stainless steel with a thickness of 10/10 mm
Material of plate:	Inox
Plate finish:	Smooth
Tipologia ribaltamento:	Manual input
Knobs:	Knobs are made from a sturdy heat-resistant polymer blend and are equipped with liquid anti-leakage washer
Kit Gas:	Natural gas conversion kit 30/50 m/bar (tested with natural gas G20)

Gas brattpan, capacity 44 lt. Top made of AISI 304 stainless steel; covering in AISI 304 stainless steel thickness 8/10; external reinforcements made of anti-corrosion material (aluminised sheet metal); bottoms and internal parts in AISI 430 steel. Tip-up tub made of AISI 304 stainless steel with an extra thick bottom. The dimensions of the tub are 610x450x160h. mm. with a capacity of 44 lt. Stabilized flame burner located under the tub and complete with piezoelectric ignition pilot burner. Gas is supplied by means of a safety valve with thermocouple with a range of temperature adjustment from 90° to 300°C. Model with manual tub tilting by means of handwheel. Total power 10 kW.

Technical draw



G: Gas connection 1/2"